



## **【Overview of JEITA RC-8142】**

This is the standard for Headphones with active noise cancelling functions.

Following items are specified in this standard.

-definitions of terms

-Measurement method of noise cancelling characteristics

-Measurement method of battery life.

-Test procedure for measurement of each characteristic.

This standard will be applied to consumer noise cancelling headphone for listening music.

## Contents

Clause	
1 . Scope .....	1
2 . Normative references .....	1
3 . Definitions .....	2
4 . Measuring method of noise cancel characteristics .....	3
4.1 Characteristics to be specified .....	3
4.2 Test signals .....	3
4.2.1 Pink noise .....	3
4.2.2 Simulated environmental noise .....	3
4.3 Standard conditions for measurement .....	7
4.3.1 General conditions for measurement .....	7
4.3.2 Test site .....	7
4.3.3 Ambient noise .....	7
4.4 Test equipment .....	7
4.4.1 Play back equipment for test signals .....	7
4.4.2 Couplers and ear simulators and HATS .....	7
4.4.3 Analysis equipment .....	7
4.5 Test procedure for measurement of noise suppression level .....	8
4.5.1 Adjustment of sound pressure level of test signals .....	8
4.5.2 Measurement of sound pressure level to HATS .....	8
4.5.3 Sound pressure level measurements at NC-OFF condition .....	8
4.5.4 Sound pressure level measurements at NC-ON condition .....	8
4.6 Test procedure for measurement of suppression in loudness .....	8
4.6.1 Test signal loudness adjustment .....	8
4.6.2 Measurement of loudness to HATS .....	8
4.6.3 Loudness measurements at NC-OFF condition .....	8
4.6.4 Loudness measurements at NC-ON condition .....	9
4.7 Reporting of data .....	9
4.7.1 Noise suppression level .....	9
4.7.2 Noise suppression ratio .....	10
5 . Measuring method of battery life .....	10
5.1 Characteristics to be specified .....	10
5.2 Scope .....	10
5.3 Climatic conditions .....	10

**JEITA RC-8142**

5.4 Batteries .....10

5.5 Measuring method .....10

5.6 Input signal .....10

5.7 Noise signal .....10

5.8 Reporting of data .....10

  

**Annex 1** Simulated diffuse sound field for measurement of NC headphone .....12

Explanation .....13